Chief Secretary's Office, Adelaide, March 7th, 1893.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

JNO. W. Downer, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of January, 1888-93.

Years	1388.	1889.	1890.	1891.	1892.	Average of Five	331,721								Total			
• Popu'ation, Jan. 1st	308,215	306,641	311,112	314,195	320,723	Years.									for 1893.			
Births	810	822	827	817	890	833								777				
Rate per cent	•263	.268	.266	•260	.277	_					• 2	34			-			
Deaths—							All Ages.	Under 1 year.	l and under 5.	band under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not state 1.	+Coroners'	‡Uncerti- fied causes of Death.	
All causes	364	428	384	291	400	373	330	89	31	24	54	58	55	19	_	32	14	330
Rate per cent	·118	•140	128	.093	•125	_	.099	_	_		_	_	_	_	_			
Diseases— 1. Specific Febrile		,													-			
or Zymotie	69	108	78	54	72 1	_	54	21	10	7	11	2 2	2	1	_	_	_	
III. Dietic	4	15	4	8	6	-	4	_	1	_	3			_				
rv. Constitutional	46	58	42	47	51	_	59	2	-	5	23	18	10	1	_			
v. Developmental	31	33	25	26	4.5	-	33	10		-	_	_	10	13	_			
vi. Local	162	154	155	106	166		134	34	14	11	10	31	30	4			_	
vII. Violence vIII. Ill-defined and not specified	20	27	44	24	32	_	18	1		1	5	4	3		-	_	_	
causes	30	32	32	24	27		25	21	2		1	1						

\* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines. 

\* Not certified by qualified practitioners.

## Causes of Deaths registered in the Month of January, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Other constitutional diseases	_	3	Accidents of childbirth	-	3
Measles	-		V.			Diseases of locomotive sys-		
Scarlet fever	-	1 1	Premature birth	9		tem	_	3
Relapsing fever	-	_	Cyanosis	-	-	Diseases of integumentary		
Influenza	_	7	Congenital defects,	1		system	-	
Whooping-cough	2	4	Old age	_	23	VII.		
Diphtheria	_	5	VI.			(Accident.)		
Simple and ill-defined fever	-	1	Apoplexy		9	Fracture and contusion	-	7
Enteric fever		9	Epilepsy	-	1	Gunshot wound	-	_
Simple cholera	1	_	Convulsions	6	3	Cut, stab	-	-
Diarrhœa, dysentery	17	2	Other diseases of brain and			Burn and scald	-	3
Remittent fever	-	_	nervous system	4	8	Poison	-	1
Venereal affections		2	Diseases of organs of special			Drowning	-	4
Erysipelas	1		sense	-		Suffication	-	-
Pyæmia and septicæmia	-	2	Diseases of circulatory sys-			Otherwise	1	1
Puerperal fever	-		tem	2	50	(Homicide.)		
Other zymotic diseases	_		Croup	_	1	Murder and manslaughter		
II.			Bronchitis	4	5	(Suicide.)		
Thrush	-		Pneumonia	1	10	Gunshot wound		
Worms and other parasitical			Pleurisy	1	-	Cut, stab		
diseases	-	3	Other diseases of respiratory			Poison		
III.			system	1	4	Drowning	-	
Privation—want of breast milk	-	1	Dentition	5	2	Hanging	-	1
Alcoholism		3	Quinsy, sore throat	-		Otherwise	-	_
IV.			Enteritis	7		VIII.		
Rheumatic fever and rheuma-			Peritonitis	-	1	Dropsy		
tism of heart	-		Diseases of liver	1	8	Debility, atrophy, inanition	20	2
Rheumatism	-	_	Other diseases of digestive			Mortification	_	
Gout	_	_	system	2	3	Tumor		-
Cancer, malignant disease	-	15	Diseases of lymphatic sys-			Abscess	1	
Tabes mesenterica	1		tems and of ductless glands	_		Hæmorrhage		
Tubercular meningitis	1		Diseases of urinary system	_	9	Sudden, cause unascertained	-	_
Phthisis	_	35	Diseases of generative sys-			Other ill-defined and not		
Scrofula, tuberculosis	-	4	tem	-	- 1	specified causes	1	2

Return of Births and Deaths registered in City of Adelaide in the Month of January, 1888-93.

Years	1888.	1889.	1890.	1891	1892.	Average of Five Years.									Total for			
Population, Jan. 1st	36,219	36,600	37,189	37,727	38,240	Tears.	39,073							1893.				
Births	88	75	90	103	93	90	95								95			
Rate per cent	·243	•205	•242	•273	•243	_					.2	13						- N
Deaths—			y				All Ages.	Under I year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	1
All causes	65	88	91	68	61	75	82	25	6	8	14	12	14	3	_	1	_	82:
Rate per cent	·179	•240	•245	•180	.160	-	•210	_	_	_	_	_		_		_	_	I miles
Diseases—  1. Specific Febrile or Zymotic  11. Parasitic  12. Constitutional  13. V. Developmental  14. Vi. Local  15. VII. Violence  16. VIII. Ill-defined and not specified causes	13 1 1 11 4 28 4		20 	9 1 4 19 6 18 5	10 		14 1 2 19 7 31 1	8 - - 2 9 -	3 2 - 1	1 2 5	$ \begin{array}{c c} 2 \\ \hline 2 \\ 6 \\ \hline 3 \\ 1 \end{array} $	1 -5 -6		1 2 -				

\*Including inquests.

+Not certified by qualified practitioners.

Causes of Deaths registered in the Month of January, 1893.

	1	) [[			1	Total Control of the		)
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.								
Measles		- 1	Scrofula, tuberculosis		3	Accidents of childbirth	_	_
Scarlet fever	_		Other constitutional diseases	_		Diseases of locomotive system	-	2.
Relapsing fever	_				In the second	Diseases of integumentary		
Influenza	-	100-0	V.			system	-	-
Whooping-cough	1	3	Premature birth	2	-			
Diphtheria		1000-10	Cyanosis	-	-	VII. (Accident.)		
Simple and ill-defined fever		_	Congenital defects	_	_	Fracture and contusion	-	-
Enteric fever	, —	2	Old age	-	5	Gunshot wound	-	-
Simple cholera	-					Cut, stab	-	-
Diarrhœa, dysentery	7	0000	VI.			Burn and scald	-	1
Remittent fever	-	_	Apoplexy	-	1	Poison	-	-
Venereal affections	_	-	Epilepsy	-	-	Drowning	-	-
Erysipelas	_	-	Convulsions	2		Suffocation	-	
Pyæmia and septicæmia	-	1	Other diseases of brain and		0	Otherwise	-	-
Puerperal fever	-	-	nervous system	-	3	(Homicide.)		
Other zymotic diseases	-	-	Diseases of organs of special			Murder and manslaughter		
***			sense		_			
II.	3		Diseases of circulatory system	1	7	(Suicide.)		
Thrush	-		Croup	-	_	Gunshot wound	-	-
Worms and other parasitical		1	Bronchitis	1		Cut, stab	-	_
diseases		1	Pneumonia	1		Poison	_	
111.			Pleurisy	-		Drowning		
			Other diseases of respiratory		3	Hanging	_	
Privation—want of breast milk	_	2	system	2	3	Otherwise	-	
Alcoholism	-	2	Dentition			VIII.		
IV.			Quinsy, sore throat Enteritis	2			1	
Rheumatic fever and rheuma-			Peritonitis		1	Dropsy	6	1
tism of heart			Diseases of liver		2	Debility, atrophy, inanition Mortification	_	_
Rheumatism	_		Other diseases of digestive		2	Tumor	_	1
Gout	_		system	_		Abscess	_	1 /20
Cancer, malignant disease	_	5	Diseases of lymphatic sys-			Hæmorrhage	100	_
Tabes mesenterica		-	tems and of ductless glands	_		Sudden, cause unascertained		_
Tubercular meningitis	_		Diseases of urinary system		3	Other ill-defined and not		
Phthisis	_	11	Diseases of generative system		-	specified causes	_	_
T TTOTAL	1	1.	2 about of gonorium vesystem			specified causes		

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of January, 1893.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell,
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	39,073	6,217	6,873	8,070	9,405	3,666	4,842
Persons to an acre	10.8	10.8	10.4	14.6	13.1	7.6	7.4
Births Male Female	95 45 50	17 9 8	12 7 5	22 6 16	25 18 7	10 2 8	9 3 6
Deaths	68 34 34	9 7 2	14 4 10	21 8 13	12 8 4	5 3 2	7 4 3
CLASSES.  1. Specific Febrile or Zymotic Diseases  11. Parasitic Diseases  11. Dietic Diseases  12. Constitutional Diseases  23. V. Developmental Diseases  24. Local Diseases  25. Violence  26. VIII. Ill-defined and not specified causes	13 -2 14 7 24 1 7	2  2 2 2 3	3 1 5 - 3 - 2	6 - 1 - 10 1 3	$ \begin{array}{c}     \frac{1}{1} \\     \frac{1}{2} \\     \frac{2}{5} \\     \hline     1 \end{array} $		1 -2 1 2 -1
Percentage of Deaths to population of each Ward	174	145	-206	-260	`128	•136	•145

Causes of Deaths registered in the Month of January, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis	_	8	Accidents of childbirth		_
leasles	_	-	Scrofula, tuberculosis	_	2	Diseases of locomotive system		1
carlet fever	_	_	Other constitutional diseases.	_	_	Diseases of integumentary		
Relapsing fever	-	_				system	-	
nfluenza	-	_	V.					1
Whooping-cough	1	3	Premature birth	2	_			
Diphtheria	-	_	Cyanosis	_		VII.		
Simple and ill-defined fever	-	-	Congenital defects	_	_	(Accident.)		
Enteric fever	-	1	Old age	-	5	Fracture and contusion		_
Simple cholera	_	1 -				Gunshot wound	-	-
Diarrhœa, dysentery	7	-	VI.			Cut, stab	-	_
Remittent fever	-	_	Apoplexy	-		Burn and scald	-	1
Venereal affections	-		Epilepsy	_	- 1	Poison	-	11
Crysipelas	-	-	Convulsions	2	-	Drowning	-	-
yæmia and septicæmia	-	1	Other diseases of brain and			Suffocation	-	_
uerperal fever	-	_	nervous system	_	2	Otherwise	-	_
ther zymotic diseases	-	_	Diseases of organs of special			(Homicide.)		
***			sense	_		Murder and manslaughter	_	_
II.			Diseases of circulatory system	1	5	(Suicide.)		
hrush	-	_	Croup	_	-	Gunshot wound	-	_
Vorms and other parasitical			Bronchitis	1	-	Cut, stab	_	_
diseases	-	_	Pneumonia	-	_	Poison	-	
TTT			Pleurisy	_	_	Drowning	-	-
III.			Other diseases of respiratory			Hanging	-	
rivation — Want of breast			system	_	3	Otherwise		_
milk	_	2	Dentition	2	-	77111		
leoholism	_	2	Quinsy, sore throat	-	_	VIII.		
IV.			Enteritis	2		Dropsy		-
			Peritonitis	-	1	Debility, atrophy, inanition	6	1
heumatic fever and rheu-			Diseases of liver	_	2	Mortification	_	_
matism of heart	_		Other diseases of digestive			Tumor	-	-
heumatism	-	_	system	-		Abscess		_
out diament diamen	_	1	Diseases of lymphatic systems			Hæmorrhage		_
ancer, malignant disease	-	4	and of ductless glands	_	_	Sudden, cause unascertained.		
abes mesenterica	-	-	Diseases of urinary system	-	2	Other ill-defined and not spe-		
ubercular meningitis	-	_	Diseases of generative system	_	-	cified causes	_	-

## JANUARY, 1893.

The highest temperature in the shade at the Adelaide Observatory during the month was 105°·6 on the 3rd; and the lowest, 52°·8, on the 24th. The mean temperature of the month was 72°·0.

The greatest range of the thermometer in one day, 41°·2, took place on the 26th, viz., from a maximum of 97°·2 to a minimum of 56°·0; the lowest range, 14°·4, on the 18th.

The mean height of the barometer was 29·784 inches; the maximum, 30·165 inches, occurred on the 24th; and the minimum, 29·220 inches, on the 8th

on the 8th.

Observatory, Adelaide, February 7th, 1893.

C. Todd, Observer.